

AD-A048 052

STANFORD UNIV CALIF DIGITAL SYSTEMS LAB

F/G 9/3

AN ALGORITHM FOR TESTING THE PLANARITY OF PARTIALLY ORIENTED GR--ETC(U)

JUN 77 W M VANCLEEMPUT

N00014-75-C-0601

UNCLASSIFIED

DSL-TN-116

NL

1 OF 1  
AD  
A048052



END  
DATE  
FILMED

1- 78

DDC

AD A048052

AN ALGORITHM FOR TESTING THE PLANARITY  
OF PARTIALLY ORIENTED GRAPHS

by  
W.M. vanCleemput

June 1977

Technical Note No. 116

Digital Systems Laboratory  
Departments of Electrical Engineering and Computer Science  
Stanford University  
Stanford, California 94305

AD No. \_\_\_\_\_  
JDC FILE COPY

DDC  
RECEIVED  
DEC 28 1977  
B

This work was supported by the Joint Services Electronics Program  
under contract N-00014-75-C-0601.

DISTRIBUTION STATEMENT A  
Approved for public release;  
Distribution Unlimited

Digital Systems Laboratory  
Departments of Electrical Engineering and Computer Science  
Stanford University  
Stanford, California 94305

Technical Note No. 116

June 1977

AN ALGORITHM FOR TESTING THE PLANARITY  
OF PARTIALLY ORIENTED GRAPHS

by

W.M. vanCleemput

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
OK H.P.	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	

ABSTRACT

An efficient algorithm will be presented for testing the planarity of oriented and partially oriented graphs. This algorithm is very useful for solving problems related to the circuit layout problem.

INDEX TERMS: graph theory, planarity, circuit layout problem, partially oriented graphs

This work was supported by the Joint Services Electronics Program under contract N-00014-75-C-0601.

## 1. INTRODUCTION

The problem of laying out printed circuits and integrated circuits shows a striking similarity with the problem of testing a graph for planarity [4].

In [2,3] a graph model for the circuit layout problem was presented. This model introduced the concept of a partially oriented graph.

A partially oriented graph is a triple  $(V, E, O)$  where  $V$  is the set of vertices,  $E$  is the set of edges and  $O$  is a collection of cyclic permutations of vertices that are adjacent to the same vertex.

An important step in obtaining an optimal layout of a circuit using graph-theoretical methods consists of testing the graph representation of the circuit for planarity.

In [5] an  $O(|V|^2)$  algorithm for this problem was presented, where  $|V|$  is the number of vertices of the graph model. This algorithm is based on the one by Lempel, Even and Cederbaum [9].

In this paper an algorithm, based on Tarjan's [1] algorithm for testing the planarity of simple (i.e. non-oriented) graphs will be presented. This new algorithm requires  $O(|V|)$  steps, which is a significant improvement.

## 2. DEFINITIONS

All undefined theoretical concepts used in this paper follow Behzad and Chartrand [6] and Harary [7].

The following definitions concerning oriented graphs are adapted from [8]:

### DEFINITION 1:

An oriented graph is a triple  $(V, E, O)$ , where  $V$  is the set of vertices,  $E$  is a family of subsets of  $V$  of cardinality 2 and  $O$  is a collection of cyclic permutations of members of  $V$ , that are adjacent to the same vertex.  $\square$

In other words, if  $v$  is a member of  $V$ , then there exists in  $O$ , a



member  $F$ , such that  $F$  is a cyclic permutation of the vertices of  $V$ , that are adjacent to  $v$ .

DEFINITION 2:

An oriented graph  $G$  is planar if it can be embedded in the plane such that for the arcs  $a(i)$  with a common endpoint  $P$  that correspond to the edges incident to a given vertex  $v$ , a clockwise sweep around  $P$  encounters these arcs  $a(i)$  in the order prescribed by the orientation.  $\square$

Let  $a, b$  and  $c$  be three adjacent edges incident to a vertex  $v$ ; by  $b \succ [a, c]$ , we will indicate that a clockwise sweep around  $v$  encounters these three edges in the order  $a, b, c$  (i.e.  $b$  lies between  $a$  and  $c$ ).

DEFINITION 3:

A planar oriented graph is outerplanar if it can be embedded such that every vertex of  $G$  lies on the boundary of some region (usually the exterior region).  $\square$

DEFINITION 4:

$G$  is an oriented graph of type 1 if there exist in  $G$  two distinct vertices  $m$  and  $n$  and three paths  $p_1, p_2$  and  $p_3$ , from  $n$  to  $m$ , such that each edge of  $G$  belongs to exactly one of these paths and if  $N_1, N_2$  and  $N_3$  are edges incident to  $n$  and belonging to  $p_1, p_2$  and  $p_3$  respectively and if  $M_1, M_2$  and  $M_3$  are edges incident to  $m$  and belonging to  $p_1, p_2$  and  $p_3$  respectively then  $N_1 \succ [N_2, N_3]$  if and only if  $M_1 \succ [M_2, M_3]$ .  $\square$

An example of such a graph is given in Fig. 1(a).

DEFINITION 5:

$G$  is an oriented graph of type 2 if there exists a vertex  $n$  and two cycles  $C_1$  and  $C_2$  such that each edge of  $G$  belongs to exactly one of the cycles and if vertex  $n$  is incident to edges  $M_1$  and  $N_1$  of cycle  $C_1$  and to edges  $M_2$  and  $N_2$  of cycle  $C_2$  then  $M_2 \succ [M_1, N_1]$  if and only if  $M_1 \succ [M_2, N_2]$ .  $\square$

Fig. 1(b) shows an example of a graph of type 2.

Theorem 1: if  $G$  is a minimal non-planar subgraph of an oriented graph, then  $G$  is an oriented graph of type 1 or  $G$  is an oriented graph of type 2. [8].  $\square$

Testing an oriented graph for planarity, using this characterization

is not practical.

DEFINITION 6:

A graph  $G(V, E, 0)$  is partially oriented if for some  $v$  in  $V$ , there exists a cyclic permutation  $F$  that belongs to  $0$ .  $\square$

The following definitions, related to efficient algorithms are from [1].

DEFINITION 7:

The adjacency list of a vertex  $v$  is an unordered list of the vertices, adjacent to  $v$ .  $\square$

DEFINITION 8:

The adjacency structure  $A$  of a graph  $G$  is the collection of adjacency lists for all vertices of  $G$ .  $\square$

DEFINITION 9:

In a directed graph,  $v$  is an ancestor of  $w$  and  $w$  is a descendant of  $v$  if there exists a path from  $v$  to  $w$ . If the path is of length 1, then  $v$  is the father of  $w$  and  $w$  is the son of  $v$ .  $\square$

### 3. TARJAN'S ALGORITHM

Tarjan's algorithm [1] forms the basis for the algorithm, described in section 4. It is required that the graph being tested is 2-connected. The graph is specified in the form of an adjacency structure  $A$ .

Tarjan's algorithm is linear in  $|V(G)|$ . If the graph is not 2-connected, then it can be decomposed into 2-connected components in  $O(|V|)$  time and the planarity of each of these 2-connected components has to be tested separately.

### 4. PLANARITY TESTING FOR PARTIALLY ORIENTED GRAPHS

This section is concerned with an extension to Tarjan's algorithm for testing the planarity of a partially oriented graph  $G$  in linear time. We can reduce the problem to testing the planarity of partially oriented graphs with oriented vertices of valency 3 only. This can be accomplished by replacing every oriented vertex of valency  $n$ , greater than 3, by a cycle with  $n$  new oriented vertices of valency 3, as illustrated in Fig. 2.

Let  $G'$  be the partially oriented graph, obtained by this transformation. Then the following holds.

Theorem 2:  $G'$  is planar if and only if  $G$  is planar.

Proof: a) suppose  $G'$  is planar. Then  $G$  can be obtained from  $G'$  by contracting the cycles that replaced the oriented vertices of valency greater than 3. Then  $G$  is planar.

b) if  $G$  is planar, then  $G'$  is planar. If  $G$  is planar, then there exists a cycle basis  $Z(1), \dots, Z(m)$  and a cycle  $Z(0)$  in  $G$ , such that every edge of  $G$  belongs to exactly two of these cycles (MacLane). Then, because of the transformation defined, there exists a cycle basis  $Z'(1), \dots, Z'(n)$  and a cycle  $Z'(0)$  in  $G'$ , such that every edge of  $G'$  belongs to exactly two of these cycles.

For most circuit layout graphs, oriented vertices will be of valency 3. If not, it will be assumed that the component models have been transformed such that this property holds.

It can easily be verified that  $|E(G')| \leq |E(G)|$  and that  $|V(G')| \leq 2 \cdot |E(G)|$ . Therefore, if  $|E(G)| = k \cdot |V(G)|$  then  $|E(G')| = k' \cdot |V(G')|$ .

The following algorithm is a modification of Tarjan's algorithm. It allows one to test the planarity of a partially oriented graph  $G(V, E)$  with oriented vertices of valency 3 only, in time proportional to  $|V|$  if  $|E| = k \cdot |V|$ .

Steps 1-3 are essentially the same as in Tarjan's algorithm.

(1) Apply a depth-first search to  $G$ , starting from some (arbitrarily chosen) vertex  $s$ . This search imposes a direction upon the edges of  $G$ , depending on the order in which its end-vertices were reached by the search. By doing so,  $G$  is transformed into a directed graph  $G'$ , whose edges are partitioned into a set of edges, forming a spanning tree, and a set of fronds. The directed graph  $G'$  is called a palm tree.

(2) Reorder the adjacency structure, using the information



collected in the first step. This is done using a radix sort.

(3) Perform a depth-first search on the new adjacency structure, thereby partitioning  $G$  into a set of edge-disjoint paths. Let  $p = (s, \dots, f)$  be a path and let  $p_0 = (s_0, \dots, f_0)$  be the first path containing  $s$ . Then  $p$  is a special path if  $f = f_0$  and a normal path otherwise.

(4) Examine all paths  $p = (s, \dots, f)$ . If  $s$  is an oriented vertex, then determine on which side (Left or Right)  $p$  has to be embedded in order to satisfy the orientation imposed around  $s$ . If  $f$  is oriented, then determine on which side the frond has to descend. We can represent this as a function  $SIDE(p, v)$  with possible values L(ef), R(ight) and U(ndefined).  $SIDE(p, v) = U$  if vertex is not oriented.

First assume that  $p$  is a normal path. Then the frond of  $p$  has to descend on the same side as the embedding of the path. The following decision table indicates the action to be taken for each possible case.

---

SIDE(p,f) \ SIDE(p,s)	SIDE(p,s)		
	L	R	U
L	l	n	l
R	n	r	r
U	l	r	u

where l: embed  $p$  on the left.  
 r: embed  $p$  on the right.  
 u:  $p$  can be embedded on both sides.  
 n: the graph is non planar.

---

If  $p = (s, \dots, f)$  is a special path, then its frond has to descend on the same side as the frond of  $p_0$ , i.e. the path on which  $s$



debuts, unless  $f=f_0=1$ . However, if  $f \neq 1$  then the valency of  $f$  must be at least 4 and therefore  $f$  cannot be an oriented vertex. If  $f=1$  and oriented, then we can require without loss of generality that the frond of  $p$  descend on the same side as the path's embedding (similar to normal paths). The only case left for special paths is when  $s$  is an oriented vertex. Then the embedding of  $p$  is determined by  $SIDE(p,s)$ .

5) Build a dependency graph. This step is essentially the same as in Tarjan's algorithm. Embed the first path (a circuit) in the plane as a polygon. Try to embed the other paths, in the order in which they were generated in step 3), one at a time. Each new path has exactly two points in common with the already embedded subgraph. Certain paths have to be embedded in different faces or in the same face, with respect to other paths. This relationship between paths can be represented by a dependency graph. Tarjan proves that it is sufficient to construct only a subgraph of this dependency graph, for which the number of edges is a linear function of  $V(G)$ .

6) Try to bicolor the dependency graph  $DG$ , using the colors  $L$ (eft) and  $R$ (ight).  $DG$  consists of one or more disconnected components. The difference with Tarjan's algorithm is that there are a number of vertices in  $V(DG)$  that have preassigned colors. Every vertex in  $V(DG)$  represents a path in the original graph. The bicoloring procedure consists of the following major steps.

- mark all vertices as unexplored.
- find a colored, but not explored vertex and mark it as explored. If no such vertex exists, then find an unexplored vertex and assign it any color (e.g.  $L$ ). If all vertices have been explored, then  $DG$  can be colored with 2 colors and hence  $G$  is planar.
- use a depth-first search to explore the component of  $DG$ , containing the selected start-vertex: each time a vertex is reached, check whether it is colored or not. If not,

assign it the appropriate color. If it was already colored, check the colors: if they are compatible, continue; if not, the graph  $G$  is non-planar.

The procedure for enforcing the embedding of paths (step 4) requires  $O(|E|)$  time for general graphs and  $O(|V|)$  time if  $|E| = k \cdot |V|$ . Bicoloring the dependency graph requires time proportional to the number of edges in  $E(DG)$ . If a dependency subgraph was constructed and if  $|E| = k \cdot |V|$  then  $|E(DG)| = O(|V|)$  and the time required for testing the planarity of  $G$  is  $O(|V|)$ .

# REFERENCES

- [1] Hopcroft, J., and Tarjan, R.E. "Efficient Planarity Testing", Journal ACM, Vol. 21, No. 4, pp. 549-568, October 1974.
- [2] vanCleemput, W. Mathematical Models and Algorithms for the Circuit Layout Problem, University of Waterloo, Ontario, Canada, Ph.D. Thesis, 1975.
- [3] vanCleemput, W. "Mathematical Models for the Circuit Layout Problem", IEEE Trans. on Circuits and Systems, Vol. CAS-23, No. 12, pp. 759-767, December 1976.
- [4] vanCleemput, W., "On the Topological Aspects of the Circuit Layout Problem", Proc. 13th Design Automation Workshop, San Francisco, California, June 1976.
- [5] Uyehara, T. et al, "Embedding a graph in a plane with local constraints", Proc. IEEE Int. Symposium on Circuits and Systems, San Francisco, California, pp. 181-185, April, 1974.
- [6] Behzad, M. and Chartrand, G., Introduction to the Theory of Graphs, Allyn and Bacon, Boston, Massachusetts, 1971.
- [7] Harary, F., Graph Theory, Addison Wesley Publishing Company, Reading, Massachusetts, 1969.
- [8] Ulrich, J.W., "A Characterization of Planar Oriented Graphs", SIAM Journal Applied Mathematics, Vol. 18, No. 2, pp. 364-371, March 1970.
- [9] Lempel, A., Even, S. and Cederbaum, I. "An Algorithm for Planarity Testing of Graphs", Proc. Int. Symp. on the Theory of Graphs (Ed. P. Rosenstiehl), Paris, France: Dunod, 1966, pp. 215-232.




FIGURE 1 (a) Oriented graph of type 1.  
(b) Oriented graph of type 2.



FIGURE 2 Replacing an oriented vertex of valency  $n$  by oriented vertices of valency 3.



SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

14 DSL-TN-116

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ✓ Technical Note #116	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 6 AN ALGORITHM FOR TESTING THE PLANARITY OF PARTIALLY ORIENTED GRAPHS.		5. TYPE OF REPORT & PERIOD COVERED 9 Technical Note
7. AUTHOR(s) 10 W.M./van Cleemput		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS ✓ Stanford Electronics Laboratories Stanford University Stanford, CA 94305		8. CONTRACT OR GRANT NUMBER(s) 15 N00014-75-0601
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy Washington, DC 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if diff. from Controlling Office)		12. REPORT DATE June 1977
		13. NO. OF PAGES 11
		15. SECURITY CLASS. (of this report) 12 12 p.
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this report) Reproduction in whole or part is permitted for any purpose of the United States government.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from report) DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) graph theory, planarity, circuit layout problem, partially oriented graphs 408 071		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) An efficient algorithm will be presented for testing the planarity of oriented and partially oriented graphs. This algorithm is very useful for solving problems related to the circuit layout problem.		

DD FORM 1473

EDITION OF 1 NOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

# JSEP REPORTS DISTRIBUTION LIST

	<u>No. of Copies</u>		<u>No. of Copies</u>
<u>Department of Defense</u>			
Defense Documentation Center		Dr. R. Reynolds	1
Attn: DDC-TCA (Mrs. V.Caponio)	12	Defense Advanced Research	
Cameron Station		Projects Agency	
Alexandria, Virginia 22314		Attn: Technical Library	
		1400 Wilson Boulevard	
		Arlington, Virginia 22209	
Asst. Dir., Electronics	1		
and Computer Sciences		<u>Department of the Air Force</u>	
Office of Director of Defense			
Research and Engineering		AF/RDPS	1
The Pentagon		The Pentagon	
Washington, D.C. 20315		Washington, D.C. 20330	
Office of Director of Defense	1	AFSC (LJ/ Mr. Irving R. Mirman)	1
Research and Engineering		Andrews Air Force Base	
Information Office Lib. Branch		Washington, D.C. 20334	
The Pentagon			
Washington, D.C. 20301		Directorate of Electronics	1
		and Weapons	
ODDR&E Advisory Group on	1	HQ AFSC/DLC	
Electron Devices		Andrews AFB, Maryland 20334	
201 Varick Street			
New York, New York 10014		Directorate of Science	1
		HQ AFSC/DLS	
Chief, R&D Division (340)	1	Andrews Air Force Base	
Defense Communications Agency		Washington, D.C. 20334	
Washington, D.C. 20301			
Director, Nat. Security Agency	1	LTC J.W. Gregory	5
Fort George G. Meade		AF Member, TAC	
Maryland 20755		Air Force Office of	
Attn: Dr. T.J.Beahn		Scientific Research	
		Bolling Air Force Base	
Institute for Defense Analysis	1	Washington, D.C. 20332	
Science and Technology Division			
400 Army-Navy Drive		Mr. Carl Sletten	1
Arlington, Virginia 22202		RADC/ETE	
		Hanscom AFB, Maryland 01731	
Dr. Stickley	1	Dr. Richard Picard	1
Defense Advanced Research		RADC/ETSL	
Projects Agency		Hanscom AFB, Maryland 01731	
Attn: Technical Library			
1400 Wilson Boulevard		Mr. Robert Barrett	1
Arlington, Virginia 22209		RADC/ETS	
		Hanscom AFB, Maryland 01731	

	<u>No. of Copies</u>		<u>No. of Copies</u>
Dr. John N. Howard AFGL/CA Hanscom AFB, Maryland 01731	1	Mr. John Mottsmith (MCIT) HQ ESD (AFSC) Hanscom AFB, Maryland 01731	1
Dr. Richard B. Mack RADC/ETER Hanscom AFB, Maryland 01731	1	LTC Richard J. Gowen Professor Dept. of Electrical Engineering USAF Academy, Colorado 80840	1
Documents Library (TILD) Rome Air Development Center Griffiss AFB, New York 13441	1	AUL/LSE-9663 Maxwell AFB, Alabama 36112	1
Mr. H.E. Webb, Jr. (ISCP) Rome Air Development center Griffiss AFB, New York 13441	1	AFETR Technical Library P.O. Box 4608, MU 5650 Patrick AFB, Florida 32542	1
Mr. Murray Kesselman (ISCA) Rome Air Development Center Griffiss AFB, New York 13441	1	ADTC (DLOSL) Eglin AFB, Florida 32542	1
Mr. W. Edwards AFAL/TE Wright-Patterson AFB Ohio 45433	1	HQ AMD (RDR/Col. Godden) Brooks AFB, Texas 78235	1
Mr. R.D. Larson AFAL/DHR Wright-Patterson AFB Ohio 45433	1	USAF European Office of Aerospace Research Technical Information Office Box 14, FPO, New York 09510	1
Howard H. Steenbergen AFAL/DHE Wright-Patterson AFB Ohio 45433	1	Dr. Carl E. Baum AFWL (ES) Kirtland AFB, New Mexico 87117	1
Chief Scientist AFAL/CA Wright-Patterson AFB Ohio 45433	1	ASAFSAM/RAL Brooks AFB, Texas	1
HQ ESD (DRI/Stop22) Hanscom AFB, Maryland 01731	1	<u>Department of the Army</u> HQDA (DAMA OARZ-A) Washington, D.C. 20310	1
Professor R.E. Fontana Head, Dept. of Electrical Engr. AFIT/ENE Wright-Patterson AFB Ohio 45433	1	Commander U.S. Army Security Agency Attn: IARD-T Arlington Hall Station Arlington, Virginia 22212	1



	<u>No. of Copies</u>		<u>No. of Copies</u>
Commander U.S. Army Materiel Dev. & Readiness Command Attn: Tech. Library Rm 7S 35 5001 Eisenhower Ave. Alexandria, Virginia 22333	1	Commander Harry Diamond Laboratories ATTN: Mr. John E. Rosenberg 2800 Posder Mill Road Adelphi, Maryland 20783	1
Commander Research Laboratory ATTN. DRXRD-BAD U.S. Army Ballistics Aberdeen Proving Ground Aberdeen, Maryland 21005	1	Commandant U.S. Army Air Defense School Attn: ATSAD-T-CSM Fort Bliss, Texas 79916	1
Commander Picatinny Arsenal Dover, New Jersey 07081  ATTN: SMUPA-TS-T-S	1	Commandant U.S. Army Command and General Staff College Attn: Acquisition, Library Div Fort Leavenworth, Kansas 66027	1
ATTN: Dr. Herman Robl U.S. Army Research Office P.O. Box 12211 Research Triangle Park North Carolina 27709	1	Dr. Hans K. Ziegler (AMSEL-TL-D) Army Member, TAC/JSEP U.S. Army Electronics Command (DRSEL-TL-D) Fort Monmouth, New Jersey 07703	1
ATTN: MR. Richard O. Ulsh U.S. Army Research Office P.O. Box 12211 Research Triangle Park North Carolina 27709	1	Mr. J.E. Teti (AMSEL-TL-DT) Executive Secretary, TAC/JSEP U.S. Army Electronics Command (DRSEL-TL-DT) Fort Monmouth, New Jersey 07703	3
Mr. George C. White, Jr. Deputy Director Pitman-Dunn Laboratory Frankford Arsenal Philadelphia, Penna. 19137	1	Director Night Vision Laboratory, ECOM ATTN: DRSEL-NV-D Fort Belvoir, Virginia 22060	1
Commander Attn: Chief, Document Section U.S. Army Missile Command Redstone Arsenal, Alabama 35809	1	Commander/Director Atmospheric Sciences Laboratory (ECOM) Attn: DRSEL-BL/DD White Sands Missile Range New Mexico 88002	1
Commander U.S. Army Missile Command Attn: DRSMI-RR Redstone Arsenal, Alabama 35809	1	Director Electronic Warfare Lab., ECOM Attn: DRSEL-WL-MY White Sands Missile Range New Mexico 88002	1
Commander Chief, Materials Sciences Division, Bldg. 292 Army Materials and Mechanics Research Center Watertown, Massachusetts 02172		Commander US Army Armament Command Attn: DRSAR-RD Rock Island, Illinois 61201	1



	<u>No. of Copies</u>		<u>No. of Copies</u>
Project Manager	1	NL-H Dr. F. Schwering	1
Ballistic Missile Defense Program		TL-E Dr. S. Kronenberg	1
Office		TL-E Dr. J. Kohn	1
Attn: DACS-BMP ( Mr. A. Gold)		TL-I Dr. C. Thornton	1
1300 Wilson Blvd.		NL-B Dr. S. Amorsos	1
Washington, D.C. 22209			
Director, Division of Neuropsychiatry		Col. Robt. W. Noce	
Walter Reed Army Institute	1	Senior Standardization Rep.	1
of Research		U.S. Army Standardization	
Washington, D.C. 20012		Group, Canada	
		Canadian Force Headquarters	
		Ottawa, Ontario, Canada KIA OK2	
Commander, USASATCOM	1		
Fort Monmouth, New Jersey 07703		Commander	
		CCOPS-PD	
Commander, U.S. Army	1	Fort Huachuca, Arizona 85613	
Communications Command		Attn: H.A. Lasitter	
Attn: Director, Advanced Concepts			
Office		<u>Department of the Navy</u>	
Fort Huachuca, Arizona 85613			
Project Manager, ARTADS	1	Dr. Sam Koslov	1
EAI Building		ASN (R&D)	
West Long Branch, N.J. 07764		Room 4E741	
		The Pentagon	
		Washington, D.C. 20350	
U.S. Army White Sands Missile Range			
STEWS-ID-R	1	Office of Naval Research	1
Attn: Commander		800 N. Quincy Street	
White Sands Missile Range		Arlington, Virginia 22217	
New Mexico 88002		Attn: Codes 100	
		102	
Mr. William T. Kawai		201	
U.S. Army R&D Group (Far East)	1	220	
APO, San Francisco, Ca. 96343		221	
		401	
Director, TRI-TAC	1	420	
Attn: TT-AD (Mrs. Briller)		421	
Fort Monmouth, N.J. 07703		427 (All Hands)	
		432	
		437	
Commander	1		
U.S. Army Electronics Command		Naval Research Laboratory	
Fort Monmouth, N.J. 07703		4555 Overlook Aven. SW	
Attn: AMSEL-RD-O (Dr. W.S. McAfee)	1	Washington, D.C. 20375	
CT-L (Dr. G. Buser)	1	Attn: Codes 4000 - Dr. A Berman	
NL-O (Dr. H.S. Bennett)	1	4105 - Dr. S. Teitler	
NL-T (Mr. R. Kulinyi)	1	4207 - Dr. J. McCaffrey	
TL-B	1	5000 - Dr. H. North	
VL-D	1	5200 - Mr. A. Brodzinsky	
WL-D	1	5203 - Dr. L. Young	
TL-MM (Mr. Lipetz)	1	5210 - Dr. J. Davey	
(cont'd)			

	No. of Copies	No. of Copies
Naval Research Laboratory 4555 Overlook Ave. SW Washington, D.C. 20375 Attn: Codes	1	1
5220 - Mr. H. Lessoff		NAVMAAT - Code 03T
5230 - Dr. R. Green		CP # 5
5250 - Cf. L. Whicker		2211 Jefferson Davis Hwy.
5260 - Dr. D. Barbe		Arlington, Virginia 20360
5270 - Dr. B. McCombe		Mel Nunn
5300 - Dr. M. Skolnik		NVMAT 0343
5403 - Dr. J. Shore		CP# 5, Room 1044
5464/5410 - Dr. J. Davis		2211 Jefferson Davis Hwy.
5500 - Dr. T. Jacobs		Arlington, Virginia 20360
5509 - Dr. T. Giallorenzi		Dr. F.I. Tanczos
5510 - Dr. W. Faust		NAVAIR-03B
6400 - Dr. C. Klick		JP# 1, Room 412
7701 - Mr. J. Brown		1411 Jefferson Davis Hwy
		Arlington, Virginia 20360
Director	1	
Office of Naval Research 495 Summer Street Boston, Mass. 02210		Dr. H.J. Mueller
		Naval Air Systems Command
		Code 310
		JP # 1
Director	1	1411 Jefferson Davis Hwy.
Office of Naval Research New York Area Office 715 Broadway 5th Floor New York, New York 10003		Arlington, Virginia 20360
		Mr. N. Butler
		Naval Electronics Systems Command
		Code 304
Director of Naval Research Branch Office 536 South Clark Street Chicago, Illinois 60605	1	NC # 1
		2511 Jefferson Davis Hwy.
		Arlington, Virginia 20360
Director of Naval Research Branch Office 1030 East Green Street Pasadena, Calif. 91101	1	Mr. L.W. Sumney
		Naval Electronics Systems Command
		NC # 1
		2511 Jefferson Davis Hwy.
Office of Naval Research San Francisco Area Office 760 Market St. Room 447 San Francisco, Calif. 94102	1	Arlington, Virginia 20360
		J.H. Huth
		NAVSEA - Code 03C
		NC # 3, Room 11E08
Harris B. Stone	1	2531 Jefferson Davis Hwy.
Office of Research, Development, Test & Evaluation NOP-987 The Pentagon, Room 5D760 Washington, D.C. 20350		Arlington, Virginia 20362
		Capt. R.B. Meeks
		Naval Sea Systems Command
		NC #3
Dr. A.L. Slafkosky	1	2531 Jefferson Davis Hwy.
Code RD-1 Headquarters Marine Corps Washington, D.C. 20380		Arlington, Virginia 20362

	No. of Copies		No. of Copies
Naval Surface Weapons Center White Oak Silver Spring, Maryland 20910 Attn: Codes WR - 04 - W. Scanlon WR - 30 - Dr. J. Dixon WR - 303 - Dr. R. Allgaier WR - 34 - H.R. Riedl WR - 43 - P. Wessel	1	Dr. W. A. VonWinkle Associate Technical Director for Technology Naval Underwater Systems Center New London, Connecticut 06320  Officer in Charge Naval Underwater Systems Center Newport, Rhode Island 02840	1
Naval Surface Weapons Center Dahlgren, Virginia 22448 Attn: Codes DF - J. Mills DF - 14 - K. Ferris DF - 36 - S. Leong	1	Dr. H.L. Blood Technical Director Naval Undersea Center San Diego, Calif. 95152	1
Naval Air Development Center Johnsville Warminster, Penna 18974 Attn: Codes 01 - Dr. R. Lobb 202 - T. Shopple 20212 - S. Campagna 2022 - G. Fer	1	Dr. Robert R. Fossum Dean of Research Naval Postgraduate School Monterey, Calif. 93940  Naval Electronics Laboratory Center 271 Catalina Blvd. San Diego, Calif. 92152	1
Dr. Gernot M.R. Winkler Director, Time Service U.S. Naval Observatory Mass. Ave. at 34th St., N.W. Washington, D.C. 20390	1	Attn: Codes 0220 - H.T. Mortimer 2000 - P.C. Fletcher 2020 - V.E. Hildebrand 2100 - C.A. Nelson 2200 - J. Ritcher 2300 - C.W. Erickson 2400 - F.M. Tripak 2500 - W.E. Richards 3000 3400 - R. Coburn 4000 - C.E. Pierson 4600 - I. Lagnado 5000 - A.E. Beutel 5200 - R.R. Eyres 5300 - P.H. Johnson 5600 - W.J. Dejka	
Officer in Charge Carderock Laboratory David Taylor Naval Ship Research and Development Center Bethesda, Maryland 20034	1		
Officer in Charge Annapolis Laboratory Naval Ship Research & Development Center Annapolis, Maryland 21402	1		
Dr. G. Gould, Technical Director Naval Coastal Systems Laboratory Panama City, Florida 32401	1	Naval Weapons Center China Lake, Calif. 93555 Attn: Codes 60 - Royce 601 - F.C. Essig 6013 - V.L. Rehn 6014 - D.J. White 6018 - J.M. Bennett 6019 - N. Bottka	1
M. J. Wynn Code 790 Naval Coastal Systems Laboratory Panama City, Florida 32401	1	(cont'd)	



	<u>No of Copies</u>		<u>No. of Copies</u>
Naval Weapons Center		Robert E. Frischell	1
China Lake, Calif. 93555		Johns Hopkins University	
Attn: Codes 605 - W.S. McEwan	1	Applied Physics Laboratory	
5515 - M.H. Ritchie		Laurel, Maryland 20810	
3945 - D.G. McCauley			
5525 - Webster		Mr. G.H. Gleissmer	1
35 - D.J. Russell		Code 18	
55 - B.W. Hayes		David Taylor Naval Ship R&D Center	
3544 - H.W. Swinford		Bethesda, Maryland 20084	
3815 - R.S. Hughes			
		Commander	1
D.E. Kirk	1	Pacific Missile Test Center	
Professor & Chairman, Electronic		Code 4253-3	
Engineering		Point Mugu, Calif. 93042	
Sp-304			
Naval Postgraduate School		Richard Holden	1
Monterey, Calif. 93940		DF - 34	
		Naval Surface Weapons Center	
Professor Sydney P. Parker	1	Dahlgren Laboratory	
Electrical Engineering Sp-62		Dahlgren, Virginia 22448	
Naval Postgraduate School			
Monterey, Calif. 93940		<u>Other Government Agencies</u>	
Dr. Roy F. Potter	1	Mr. F.C. Schwenk, RD-T	1
3868 Talbot Street		National Aeronautics and	
San Diego, Calif. 92106		Space Administration	
		Washington, D.C. 20546	
Mr. J.C. French	1		
Electronics Technology Division		Los Alamos Scientific Lab	1
National Bureau of Standards		Attn: Reports Library	
Washington, D.C. 20234		P.O. Box 1663	
		Los Alamos, New Mexico 87544	
John L. Allen	1		
Deputy Director (Research & Advanced		M. Zane Thornton	1
Technology)		Deputy Director,	
ODDR&E		Institute for Computer	
The Pentagon, Room 3E114		Sciences & Technology	
Washington, D.C. 20301		National Bureau of Standards	
		Washington, D.C. 20550	
Leonard R. Weisberg	1		
Assistant Director (Electronics		Director, Office of Postal	1
& Physical Sciences)		Technology (R&D)	
ODDR&E		U.S. Postal Service	
The Pentagon		11711 Parklawn Drive	
Washington, D.C. 20301		Rockville, Maryland 20852	
George Gamota	1	NASA Lewis Research Center	1
Staff Specialist for Research		Attn: Library	
ODDR&E		21000 Brookpark Road	
The Pentagon, Room 3D1079		Cleveland, Ohio 44135	
Washington, D.C. 20301			



	<u>No. of Copies</u>		<u>No. of Copies</u>
Library - R51	1	Director	1
Bureau of Standards		Columbia Radiation Laboratory	
Acquisition		Department of Physics	
Boulder, Colorado 80302		Columbia University	
		538 West 120th Street	
MIT Lincoln Laboratory	1	New York, New York 10027	
Attn: Library A-082			
P.O. Box 73		Director	1
Lexington, Mass. 02173		Electronics Research Laboratory	
		University of California	
Dr. Jay Harris	1	Berkeley, Calif. 94720	
Program Director, Devices and			
Waves Program		Director	1
National Science Foundation		Electronics Sciences Laboratory	
1800 G. Street		University of Southern California	
Washington, D.C. 20550		Los Angeles, California 90007	
Dr. Howard W. Etzel, Deputy Director		Director	1
Division of Materials Research	1	Electronics Research Center	
National Science Foundation		The University of Texas at Austin	
1800 G. Street		Engineering-Science Bldg. 112	
Washington, D.C. 20550		Austin, Texas 87812	
Dr. Dean Mitchell, Program Director		Director of Laboratories	1
Solid-State Physics	1	Division of Engineering and	
Div. of Materials Research		Applied Physics - Tech. Reports	
National Science		Collection	
		Harvard University	
<u>Non-Government Agencies</u>		Pierce Hall	
		Cambridge, Massachusetts 02138	
Director	1		
Research Lab. of Electronics			
Massachusetts Inst. of Tech.			
Cambridge, Mass. 02139			
Director	1		
Microwave Research Institute			
Polytechnic Inst. of New York			
Long Island Graduate Center			
Route 110			
Farmingdale, New York 11735			
Assistant Director			
Microwave Research Institute			
Polytechnic Inst. of New York			
333 Jay Street			
Brooklyn, New York 11201			